

DEC-TECHNICAL BULLETIN



Bulletin No: TB017 Version: v.01 Effective Date: 2021-05-13

Subject: SOLAR REFLECTIVE INDEX (SRI)

- Product
 Pre-Installation
 Installation
 Repair
 Maintenance
 Other
 External
 Internal Use
 Internal Use Only

Target Audience: All
Reason for Bulletin: To provide clarity on warmest and coolest Dec-Tec membrane.

Details:
 What is Solar Reflective Index (SRI)?
 Solar Reflective Index (SRI) measures the relative “steady-state surface temperature” of a surface with respect to the standard white (SRI=100) and the standard black (SRI=0) under the standard solar and ambient conditions.

What is Solar Reflectance?
 Solar Reflectance measures the amount of solar energy reflected. 0% indicates that no solar energy is reflected and 100% indicates that all of the solar energy is reflected from the surface.

How did we test?
 All of the test data was calculated and measured by ATLAS WEATHERING SERVICES GROUP. SRI is calculated from ASTM E1980. Hemispherical spectral reflectance measurements were performed in accordance with ASTM Standard Test Method E903. The total reflectance was obtained by integrating the spectral data against Air Mass 1.5 (ASTM G173) solar spectrum.

Table below shows the spectral data received for Dec-Tec membranes (warmest to coolest membrane).

Dec-Tec Membranes		% Solar Reflectance	SRI
Classic Line	Granite	17.4	17
	Bronze	24.4	26
	Beige	29.1	32
	Brick	32.4	36
	Solid Grey	36.1	41
CoolStep Line	CoolStep	57.0	68
	CoolStep Copper	59.8	73
	CoolStep Slate	60.6	73
	CoolStep Sandalwood	61.8	74

- Benefits:**
- Understanding and knowing the SRI value may be useful when selecting the ideal Dec-Tec membrane for your climate conditions and deck use.
 - Lower SRI value indicates a membrane that is likely to absorb more heat and become hotter under sunlight.
 - Higher SRI value indicates a membrane that is likely to reflect more heat and stay cooler under sunlight

DEC-TECHNICAL BULLETIN



-
- If the deck is over living space, choosing the right membrane can have an effect on the indoor ambient air temperature.

Note: Detailed report available upon request. Reference: Report No.: 40423-0 (September 4, 2020), "HEMISPHERICAL SPECTRAL REFLECTANCE AND TOTAL EMITTANCE TEST REPORT"

If you have any questions concerning this bulletin, please contact Dec-Tec, Technical Support at 1-866-461-3914.

DISCLAIMER: The information, illustrations, designs and recommendations contained in this document is confidential, privileged and only for the information of the intended recipient and may not be used, published or redistributed without the prior written consent of Skyline Building Systems Inc., The information and recommendations contained herein are offered as a service to our customers and are not intended to relieve the user from responsibility. The information and recommendations provided are believed by Skyline Building Systems Inc., to be accurate at the time of preparations or obtained by sources believed to be generally reliable. Skyline Building Systems Inc., makes no warranty concerning their accuracy and will not be liable for claims relating to any use regardless of whether it is claimed that the information or recommendations are inaccurate, incomplete or otherwise misleading. © Skyline Building Systems Inc., 2020